## BarTender 条码连接字段的建立

即合并文本1、文本2到条码

- 1. 新建文本 1(1111),双击文本,弹出文字属性窗口,点击窗口左侧文字 1
  - 后,点击窗口右侧**不列印物件**,表示内容可显示但打印无印出。

🔛 文字屬性		×
★ 文字層性       ▲ 文字 1       ▲ 文字 1       ▲ 文字 1       ● ア 2       ○ 文字格式       ● 丁 位置       ● 丁 位置       ● 丁 ①	資料來源       資料類型       轉換         名稱(M):       <無>         類型(T):       動 嵌入式資料         嵌入式资料(D):       1111	
N × × ≥ ≥ ≤ ↑ ↓ N × ≠ ≥ ≤ ↑ ↓ N × ≠ ≥ ≤ ↑ ↓ N × ≠ ≥ ≤ ↑ ↓		
▲       文字相式         →       文字格式         →       位置         ④       資料來源         ↓       1111	物件名(0): 文字 1 註解(C): 物件可見性 ▼不列印物件(0) ▼不顯示於預覽列印中(P) 預覽: 11111111111111111111111111111111111	

2. 依相同操作建立文本 2 (20130501)

🔛 文字屬性	
文字層性 A 文字 2 A 文字 2 A 文字 2 A 文字 2 A 文字 4 文字格式 C 框線 位置 20130501	資料來源       資料類型       轉換         名稱(N):       <無>          類型(T):       圖 嵌入式資料          嵌入式资料(D):       20130501
* * * * * * * * *	

3. 建立条码(33333),双击条码,弹出条码属性窗口,点击窗口左侧左下角"新

增资料源"

🛄 條碼屬性	
<ul> <li>▶</li> <li></li></ul>	資料來源       資料類型       轉換         名稱(N):       <無>          類型(T):       圖 嵌入式資料          嵌入式資料(D):       333333       ▲
****	關閉 說明

4. 在弹出窗口选择**物件值**下一步→选择<u>文本1</u>,<u>主资料源</u>,完成。

新增資料來源精靈 資料來源選取	8597001 A7-11 ABD FOTO
選取新資料來源的類型: 類型(T): 圖 嵌入式資料 描述 嵌入式译 一般 嵌入式資料 ④ 時鐘 ① 時鐘 ⑦ 印表機碼範本欄( ○ 第章	▼ Ž
<上一步	(B) 下一步(N)> <b>完成(F) 取消</b>

🛄 新增資料來源精靈	<b>—</b>
<b>物件值</b> 従另一個範本物件讀取值	
選取要從下列	來源讀取的範本物件與值:
物件名(O):	文字 1 🔹
值(\/):	主資料源    ▼
	<上一步(B) 下一步(N)> 完成(F) 取消

5. 重复步骤 3、4,选择文本2。合并后条码的内容为 33333111120130501

